	A multi-adiam Na	Applicantia
	Application No.	Applicant(s)
Madian of Allowskills	10/044,192	SARKAR, SANDIP
Notice of Allowability	Examiner	Art Unit
	Ricardo Pizarro	2661
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment received on 3/21/05</u> .		
2. The allowed claim(s) is/are <u>1-13 and 15-27. They have been renumbered 1-8, 12-13, 9-11 and 20-22, 14-16, 23,17-18, 24, 19, 25, 26</u> .		
3. The drawings filed on 10/26/01 are accepted by the Examiner.		
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Info	rmal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sun	nmary (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./M 98), 7. ☐ Examiner's A	ail Date mendment/Comment
Paper No./Mail Date	8 ⊠ Fyaminer's S	tatement of Reasons for Allowance
of Biological Material	9. Other	CONTROL CONTROL OF AND WATER

## **Examiner's statement of reasons for Allowance**

1. The following is an examiner's statement of reasons for allowance:

For claims 1 and 9, no prior art of record was found for a method for receiving a signals comprising sampling a received signal to pro duce a stream of received samples correlating the first set of samples with a PSC to form an estimate, generating a second time estimates based on a second set of samples and testing the validity of the first time slot timing estimate based on the second slot timing estimates to produce a slot timing validity.

For claims 18, 19, 20, 22, 23 and 25, no prior art of record was found for a an apparatus for receiving a signal comprising a sampler to produce a stream of received samples comprising a first and a second set of received samples, a primary synchronization detector that forms a first and a second slot timing estimate based on the first and second samples and wherein each sample that is accumulated on a buffer is added to sampled stored in a bin, and a secondary synchronization code for decoding a first code based on a selected portion of the second set of received samples.

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2661

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Ricardo Pizarro** whose telephone number is (7571) 272-3077. The examiner can normally be reached on Monday-Friday from 9:00 AM to 5:00 PM. The fax number for this Group is (571) 273-8300.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Hassan Kizou** can be reached on (571) 272-3088.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

July 29, 2005

Ricardo Pizarro

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600